

波形スイッチ照光タイプ(Rocker switch with LED)

定格: 5A 125V/3A 250V UL.CSA
 接触抵抗: 20mΩ以下のこと
 絶縁抵抗: DC500Vに於いて500MΩ以上のこと
 耐電圧: AC2000Vに於いて1分間異常がないこと

Rating: 5A 125V/3A 25V UL. CSA
 Contact resistance: Under 20mΩ
 Insulation Resistance: Over 500MΩ at 500V DC
 Dielectric withstanding voltage: 1minute at 2000V AC

SC-Series 

PRODUCT CODE SAMPLE


SC	—	W	L	0	1	A	—	0	1	B	B
			Circuit L=LED	Terminal Type O=Faston #187(10.5) P=Straight P.C.	Rating 1=AC 250V 3A =AC 125V 5A	Approval A= 			LED Lens Color 0=White	LED Color 1=Orange 2=Green 3=Red	Rocker Color B=Black Body Color B=Black

- ・ツマミ及びケースの色調やマーキングをご希望の方は、ロット注文によりご相談に応じます。
- ・インラッシュ電流35A (AC100V時)
- ・Rockers and casing can be modified according to your color and marking specifications.
- ・35A Inrush current available.(At AC100V)

■ 取付穴参考図

板厚 Thickness of mounting board	X	Y
0.75~1.25	19.2 ⁺⁰ _{-0.1}	12.9 ^{+0.1} ₋₀
1.25~2.0	19.4 ⁺⁰ _{-0.1}	12.9 ^{+0.1} ₋₀

Size of Mounting Hole



■ 抵抗値 LED Resistance value


LED Color	赤 Red	緑 Green	オレンジ Orange
順電圧 Forwarding Voltage	2.0V	3.5V	2.0V
順電流 Forwarding Current	25mA	20mA	25mA
最大動作電流 Maximum Forwarding Current	60mA	100mA	60mA

$$R = \frac{E_s - V_f}{I_f}$$

ES= 供給電圧
R= 抵抗


FASTON TYPE

SPST with LED
 SC-WL01A-X X X X




STRAIGHT P.C. TYPE

SPST with LED
 SC-WLP1N-X X X X X



取付穴参考図


Size of mounting hole




※プレス、成型は金型から全て社内での一貫生産方式です

LEFT ANGLE P.C. TYPE

SPST
SF-W1P1A-XXXX




SPDT
SF-W2P1A-XXXX




オプションメタルフレーム付(With Metal Frame)

SPST
SF-W1P1A-XXXXM




取付穴参考図
Size of mounting hole



SPDT タイプもございます
SPDT Type also available.

RIGHT ANGLE P.C. TYPE

SPST
SF-W1R1A-XXXX




リバースタイプは
ON OFF方向が逆になります

"ON" and "OFF" of the reversed
type is the other way around.

SPDT
SF-W2R1A-XXXX




取付穴参考図
Size of mounting hole



オプションメタルフレーム付(With Metal Frame)


SPST
SF-W1R1A-XXXXM



リバースタイプは
ON OFF方向が逆になります

"ON" and "OFF" of the reversed
type is the other way around.


取付穴参考図
Size of mounting hole




SPDT タイプもございます
SPDT Type also available.

STRAIGHT P.C. TYPE

SPST
SF-W1S1A-XXXX



SPDT
SF-W2S1A-XXXX



※プレス、成型は金型から全て社内での一貫生産方式です